




Expert Solutions Of Professional **Spaces**

600X1200mm

Speed Innovation of The Future



"Words are the brushstrokes of thought,
painting the canvas of our minds."



Cloudy Desert
WOODEN SERIES

600 X 1200 mm

Product Advantages



Water Proof



Easy to Install



Easy to Clean



Stain Resistant



Fire Resistant



Hygienic Surface



Application Area

The Cloudy Desert Collection surfaces are architectural gems that can be used across a spectrum of environments. You can use these Tiles (Decor) as the backspace, Highlighted, Bathroom, furniture, Exterior, flooring, wall cladding, and much more - imagination is the key.




Residential Spaces



Malls & Restaurants



Outdoor



Public Spaces



Schools



Kitchens



Commercial Spaces



Hospitals



External Wall Covering



Sport Spaces



Bathrooms



Airports

ACACIA BEIGE



ACACIA BROWN



ACACIA GREY



EDEN BIANCO



EDEN BROWN



EDEN CREMA



EDEN GREY



FIYOARY BEIGE



FIYOARY BROWN



FIYOARY GREY



FIYOARY VARIOUS



SANDALWOOD BEIGE



SANDALWOOD BIANCO



SANDALWOOD BROWN



SANDALWOOD CHOCO



SANDALWOOD GREY



STELA BROWN



STELA NATURAL



WOODLAND




ACACIA BEIGE



RANDOM 3




ACACIA BROWN



RANDOM 3





PREVIEW SHOWN: **ACACIA BROWN**

PRODUCT NAME	SIZE	SURFACE
ACACIA GREY	600 x 1200 mm	MATT



SIZE	SURFACE
600 x 1200 mm	MATT

ACACIA GREY



RANDOM 3



N
NUVANTA
CERAMICA



PREVIEW SHOWN: **ACACIA GREY**

EDEN BIANCO



RANDOM 3



SIZE
600 x 1200 mm

SURFACE
MATT

EDEN BROWN



RANDOM 3





PREVIEW SHOWN: **EDEN BROWN**

EDEN CREMA



RANDOM 3



EDEN GREY



RANDOM 3



N
NUVANTA
CERAMICA

BORN IN DESIGN. BUILT FOR THE FUTURE.



PREVIEW SHOWN: **EDEN CREMA**

FIYOARY BEIGE



RANDOM 2



FIYOARY BROWN



RANDOM 2



N
NUVANTA
CERAMICA

BORN IN DESIGN. BUILT FOR THE FUTURE.



PREVIEW SHOWN: **FIYOARY BEIGE**

FIYOARY GREY



RANDOM 2



FIYOARY VARIOUS



RANDOM 2



N
NUVANTA
CERAMICA

DESIGN IN DESIGN. FUTURE OF THE FUTURE.



PREVIEW SHOWN: FIYOARY GREY

SANDALWOOD BEIGE



RANDOM 2



SANDALWOOD BIANCO



RANDOM 2





N
NUVANTA
CERAMICA
BORN IN DESIGN. BUILT FOR LIFE.

PREVIEW SHOWN: SANDALWOOD BEIGE

SANDALWOOD BROWN



RANDOM 2



SANDALWOOD CHOCO



RANDOM 2



N
NUVANTA
CERAMICA



PREVIEW SHOWN: SANDALWOOD CHOCO

PRODUCT NAME
SANDALWOOD GREY

SIZE
600 x 1200 mm

SURFACE
MATT



SIZE
600 x 1200 mm

SURFACE
MATT

SANDALWOOD GREY



RANDOM 2




N
NUVANTA
CERAMICA

BORN IN DESIGN. BUILT FOR THE FUTURE.



PREVIEW SHOWN: SANDALWOOD GREY

STELA BROWN



RANDOM 4



STELA NATURAL



RANDOM 4



N
NUVANTA
CERAMICA
BORN IN DESIGN. BUILT FOR THE FUTURE.

PREVIEW SHOWN: **STELA NATUARAL**

PRODUCT NAME
WOODLAND

SIZE
600 x 1200 mm

SURFACE
MATT



SIZE
600 x 1200 mm


SURFACE
MATT

WOODLAND



RANDOM 2





N
NUVANTA
CERAMICA
BORN IN DESIGN. BUILT FOR THE FUTURE.

PREVIEW SHOWN: **WOODLAND**

Technical Specifications

CHARACTERISTIC	STANDARD AS PER ISO-13006/ En14411 GROUP	VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	+0.6%	± 0.2%	ISO-10545-2
Deviation in thickness	±5%	± 5%	ISO-10545-2
Straightness of sides	±0.5 %	± 0.2 %	ISO-10545-2
Rectangularity	±0.5 %	± 0.2 %	ISO-10545-2
Surface Flatness	±0.5 %	± 0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	>95%	GLOSSMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.05	< 0.05	ISO-10545-3
Apparent density	> 2.00 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm	Min. 40 N/mm ²	ISO-10545-4
Breaking Strength	Min. 1300 N	Min 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. class4	EN 101
THERMO HYDROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Crazing resistance	As per mfg.	Min.4 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	BS EN ISO 10545-17	>0.40	ISO-10545-17
Firesistance	As per mfg.	Fire proof	N. A.

Packing Details

Dimension (mm)	No of PC"s/Box
600x1200mm	2

Square Feet	Weight (Approx)
15.5	27Kgs.



GIG

INTERNATIONAL

EXPORTS PRIVATE LIMITED

CIN : U46900KL2026PTC100497

DOOR No. 322/31, ASHVAS ELUVNNGAL,
Chalakudi, Mukundapuram Taluk,
Thrissur - 680307, Kerala

✉ info@giginternational.co.in

🌐 www.giginternational.co.in